



Products: CAM550

Firmware Version: 0.0.8010.08

Published Date: April 01, 2025

Copyright © 2025

Copyright Notice

This publication, including all photographs, illustrations and software, is protected under international copyright laws, with all rights reserved. Neither this manual, nor any of the material contained herein, may be reproduced without written consent of the author.

Disclaimer

The information in this document is subject to change without notice. The manufacturer makes no representations or warranties with respect to the contents hereof and specifically disclaim any implied warranties of merchantability or fitness for any particular purpose. The manufacturer reserves the right to revise this publication and to make changes from time to time in the content hereof without obligation of the manufacturer to notify any person of such revision or changes.

Limitations of Liability

UNDER NO CIRCUMSTANCES SHALL AVER BE LIABLE FOR DAMAGES OF ANY CHARACTER (E.G. DAMAGES FOR LOSS OF PROFIT, SOFTWARE RESTORATION, WORK STOPPAGE, LOSS OF SAVED DATA OR ANY OTHER COMMERCIAL DAMAGES OR LOSSES) RESULTING FROM THE APPLICATION OR IMPROPER USE OF THE AVER PRODUCT OR FAILURE OF THE PRODUCT, EVEN IF AVER IS INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. FURTHERMORE, AVER WILL NOT BE LIABLE FOR THIRD-PARTY CLAIMS AGAINST CUSTOMER FOR LOSSES OR DAMAGES. AVER WILL IN NO EVENT BE LIABLE FOR ANY DAMAGES IN EXCESS OF THE AMOUNT AVER RECEIVED FROM THE END-USER FOR THE PRODUCT. **Content**

| Revision History and System Requirement | . 2 |
|---|-----|
| Important Notice | . 3 |
| New Features | . 4 |
| Problems Fixed | . 4 |
| Known Issues | . 5 |





Revision History and System Requirement

| Firmware Version | Region | Date | Model |
|------------------|--------|----------------|--------|
| 0.0.8010.08 | WW | April 01, 2025 | CAM550 |
| 0.0.8010.04 | WW | Jan. 22, 2025 | CAM550 |
| 0.0.8006.02 | WW | Aug.12, 2024 | CAM550 |
| 0.0.8004.24 | WW | Mar 20, 2024 | CAM550 |
| 0.0.8004.20 | WW | Nov.23, 2023 | CAM550 |
| 0.0.8004.06 | WW | Apr.10, 2023 | CAM550 |
| 0.0.8002.14 | WW | Dec.05, 2022 | CAM550 |
| 0.0.8002.08 | WW | Oct.07, 2022 | CAM550 |
| 0.0.8000.68 | WW | Sep.23, 2022 | CAM550 |
| 0.0.8000.64 | WW | JUL.21, 2022 | CAM550 |
| 0.0.8000.30 | WW | FEB.08, 2022 | CAM550 |





Important Notice

- 1. Room Management (RM) is a free software application, succeeding the previous generation PTZApp 2. Room Management (RM) now is available for both Mac and Windows. Please use the latest official release from AVer's website to ensure full functionality.
- 2. PTZApp2 should be upgraded to v2.2.1003.06 (MAC); v2.2.1002.05 (Windows) to get full functions.
- 3. Smart frame effective distance up to 7~10 meters, depending on your setting of camera height and background environment.
- 4. H.264/H.265 IP video streaming supports Windows 7 & 10. (not supports Windows 8.1)
- 5. During system upgrade, please DON'T turn off the power for any reasons.
- 6. If the FW upgrading is not success, please re-plug and power adapter and USB cable to do FW upgrade again.
- 7. Gesture control effective distance is up to 5m. If people are in front of white background, it may have some impact on gesture recognition.





New Features

| Firmware Version | New Features |
|------------------|---|
| 0.0.8010.08 | Standardized rules for device admin account and password. |
| | Added support for UE1. |
| 0.0.8010.04 | Integrate (SW) Cloud Management |
| 0.0.8006.02 | Support Smart Composition |
| | Implement H.265 |
| | Support schedule reboot |
| | Support RTSP Streaming of Panoramic Lens |
| | Support Nureva for Preset Link Camera Mode |
| 0.0.8004.24 | FONE700 integration |
| | New policy of web account & password |
| 0.0.8004.20 | New DHCP mechanism |
| | AVer MT300 integration |
| | Adding Enable PIP button on HDMI UI |
| | Preset Link Camera Mode |
| 0.0.8002.14 | Long press "hang-up" icon to do system reboot |
| 0.0.8002.08 | Image flip |
| | Image mirror |
| | On screen display on USB & RTSP & HDMI |
| 0.0.8000.64 | Smart Gallery via PTZ App 2 |
| | • WDR |
| | Al Lens Detection source (Al lens/ PTZ lens) |
| 0.0.8000.30 | 1st release for Q1 production |

Problems Fixed

| Firmware Version | Problem Fixed | | |
|------------------|--|--|--|
| 0.0.8010.04 | Fixed : Objects will be judged as humanoid when hanging upside down | | |
| | Fixed USB not reading Room Management(SW) requiring a reboot | | |
| 0.0.8006.02 | Increased Cam550 SSL certificate file size | | |
| | Strengthen eMMC memory management to improve stability | | |
| 0.0.8004.06 | Fixed image painting issue in certain environment | | |
| | Fixed Bit Rate setting issue in RTSP streaming | | |
| 0.0.8002.14 | Fixed mis-focus problem on Gesture Control function | | |
| | Fixed static IP address may be changed automatically after system reboot | | |





| 0.0.8000.68 | Add auto-restart mechanism to fix memory leak's problem |
|-------------|--|
| | Fix random image stop problem when using Teams or PTZ App2 to open image |
| 0.0.8000.64 | Fixed bug when system time pass 10/02/2022, the system will crash |
| | Increase camera's stability during zooming |
| | Increase camera's stability when switching-on/off image |
| | Increase camera's stability when changing image's resolution, FPS |
| | Fixed the compatibility problem with Barco CX-30 |
| 0.0.8000.30 | Bugs fixed |

Known Issues

| Firmware Version | Description |
|------------------|--|
| | No Keystone Correction |
| | When open PIP function, RTSP/RTMP, Virtual stream, and 60FPS will be |
| 0.0.8010.04 | disabled |
| 0.0.0010.04 | When open RTMP 1080p 30FPS, then open UVC 1080p 30FPS, the image |
| | quality from RTMP side will be worse |
| | Switching UVC images HDMI to be temporarily interrupted |
| | No Keystone Correction |
| | When open PIP function, RTSP/RTMP, Virtual stream, and 60FPS will be |
| 0.0.8006.02 | disabled |
| | When open RTMP 1080p 30FPS, then open UVC 1080p 30FPS, the image |
| | quality from RTMP side will be worse |
| | When open PIP function, RTSP/RTMP, Virtual stream, and 60FPS will be |
| 0.0.8004.20 | disabled |
| 0.0.8004.06 | When open RTMP 1080p 30FPS, then open UVC 1080p 30FPS, the image |
| | quality from RTMP side will be worse |
| | No H.265 IP format, Keystone Correction |
| | When open PIP function, RTSP/RTMP, Virtual stream, and 60FPS will be |
| 0.0.8004.06 | disabled |
| | When open RTMP 1080p 30FPS, then open UVC 1080p 30FPS, the image |
| | quality from RTMP side will be worse |
| 0.0.8002.14 | No H.265 IP format, Keystone Correction |
| | When open PIP function, RTSP/RTMP, Virtual stream, and 60FPS will be |





| | disabled |
|-------------|--|
| | When open RTMP 1080p 30FPS, then open UVC 1080p 30FPS, the image |
| | quality from RTMP side will be worse |
| 0.0.8002.08 | No H.265 IP format, Keystone Correction |
| | Gesture control cannot zoom-in people side |
| | When open PIP function, RTSP/RTMP, Virtual stream, and 60FPS will be |
| | disabled |
| | When open RTMP 1080p 30FPS, then open UVC 1080p 30FPS, the image |
| | quality from RTMP side will be worse |
| | Static IP address may be changed automatically after system reboot |
| 0.0.8000.68 | No PIP/OSD while using RTSP /USB |
| | No H.265 IP format, Keystone Correction |
| | No image flip/mirror |
| 0.0.8000.64 | No PIP/OSD while using RTSP /USB |
| | No H.265 IP format, Keystone Correction |
| | No image flip/mirror |
| | If user wants to update the FW from 0.0.8000.30 to 0.0.8002.08, please use the |
| 0.0.8000.30 | PTZ app2 only. (Do not update the firmware via Web UI.) |
| | There is no OSD while using USB and IP streaming. |
| | Smart gallery, WDR functions, H.265 IP format are not yet available in this |
| | version. |
| | |

Product Limitation

| Item | Description |
|------|--|
| 1 | While using 4K IP streaming, the HDMI out function will be disabled |
| 2 | HDMI out resolution is fixed at 1080p |
| 3 | When change resolution to 4K or 60FPS, features including PIP, image flip, image |
| | mirror, and On screen display will be disabled automatically |
| 4 | While enabling Smart Composition, only one stream (among USB, IP and HDMI) can |
| | be selected at a time. |

