

Compact. Portable. Ready to go wherever you need it!

The AVer U70i is an affordable document camera that combines a modern new look with advanced optics, perfect for classroom lessons and lecture capture. Packed with premium features, such as its 13-megapixel sensor that allows for crisp 4K images. The U70i's 16X digital zoom delivers best-in-class performance, enabling vibrant ultra-clear images. The new built-in cable management system allows quick and easy wrapping, making it the perfect document camera for the modern teachers on the go. This document camera is the ideal accessory to keep your students engaged, whether they're in the classroom or learning remotely.

Clear imaging & adaptability


The 13 megapixels camera outputs 4K video at 30 fps or 1080p video at 60 fps, giving you options on how to share content with your students in the classroom or online. The U70i also has a built-in intelligent microphone with AI noise reduction, making your voice predominant in a loud environment.





Both doc cam and webcam

Powered by USB, the U70i can easily connect to your device allowing for smooth transitions between lessons. The camera view will seamlessly flip between document and webcam mode, providing educators with the flexibility to switch between focusing on objects or capturing lessons.



Flexible & portable design

The U70i has an improved, shorter flex arm that locks in place for easy carry and travel. The smaller base combined with the exclusive brand-new cable management system makes it quicker and easier to store and transport it between school and home.



Fully loaded, yet simple

The U70i combines the advanced technology of a high-resolution camera with the flexibility necessary to make everyday teaching uncomplicated. The built-in intelligent mic and LED lamp allow for a seamless experience for both teachers and students alike. To make things even better, AVer offers top of the industry inclusive 2-year warranty.



Specifications*

Image							
Sensor	1/3.06" CMOS sensor	Pixel count	13MP	TV lines	Center >1400 Corner >900		
Output resolution (YUV)	1280x720@10fps, 1024x768@10fps, 960x540@15fps, 640x480@30fps, 640x360@30fps						
Output resolution (MJPEG)	(11M)3840x2880@15fps, 2160p@30/15fps, 3264x2448@30/15fps, 2592x1944@30/15fps, 2048x1536@30/15fps, 1920x1080@60/30/15fps, 1600x1200@60/30/15fps, 1280x720@60/30/15fps, 1024x768@60/30/15fps, 640x480@60/30/15fps						
Image mirror/freeze	On/Off (default: off, via software)	Image white balance/ exposure	Auto/manual (via software)	Image brightness/ contrast/saturation	Auto/manual (via software)		
Auto Rotation	Yes (via G sensor control)	Audio Function	Noise reduction	Image rotation (FW)	0°/180°		
Optics							
Shooting area	Larger than A3: 440 x 330mm (at output 2048 x 1536 /30fps)	Zoom	16x digital zoom (via software)	Focus	Auto Focus/manual via software		
Interface / Connectivity							
Capture	Keypad, take a snapshot (via software)	AF	Keypad, initiates the Auto Focus (10 cm to infinity)	LED	Keypad, turns on the LED light		
Power indication	Yes (Green)	Rotate	Keypad (Long press on Capture button)	G sensor	Slide switch, on/off		
Noise reduction	Slide switch, on/off	USB	Type-A out ; USB 2.0 Video Class B(UVC) interface	Mic	Built-in mic		

Function								
Kensington lock	Yes	Image rotation	0°/180°	Recording	Yes (via software)			
Capture mode	Yes (via software)	Flicker filter control	Yes (50/60Hz)	Remote control	No			
OSD	No							
Compatibility								
USB UVC/UAC compliant	Yes	Operating systems	Windows 7/ 10/ 11, MacOS® X 10.15, 11,12, Chrome OS™ 88 or later					
AVer software	Sphere2 (Win), AVerTouch (Win/Mac), Sphere Lite (Chromebook store extension)							
Mechanical specification								
Operating		Operating: 290 x 184 x 384mm Folded: 218 x 206 x 43mm		1.5 +/- 0.1kg (without package)				
Power source								
Power source	Powered from USB Conne	Powered from USB Connection (USB 2.0)		< 2.5 Watt with LED lamp ON				
Others								
Ordering Info	SKU: VSIONU70I	SKU: VSIONU70I						
Package contents								
U70i unit, USB cable (type A from machine directly) (cable length 1.5M), Warranty card (by region), Quick guide								
Warranty								
2 years								

*Specifications are subject to change without prior notice.

