

The background of the entire page is a photograph of a man in a grey suit and blue shirt, seen from the side, gesturing with his hands while speaking to a large, seated audience in a lecture hall. A small, black, ceiling-mounted camera is visible in the upper left background.

**#CONNECTBETTER**

# Table of Contents

About AVer	Why AVer	Auto Tracking Cameras	PTZ Cameras
03	04	06	14
Camera Controller	Tracking Box	Software	Specifications
22	24	26	32

# About AVer

AVer is an award-winning provider of video and collaboration solutions that improve productivity and enrich lives. Our Pro AV product portfolio includes cutting-edge auto tracking cameras and PTZ cameras to serve any presentation, training or lecture environments. We strive to provide industry leading product quality, service and support that exceeds our customer's expectations. We are also deeply committed to our community, the environment and employ stringent green processes in all we do. Learn more at [pro.averusa.com](https://pro.averusa.com).







# Why AVer

From the moment you meet AVer we want to make sure that your experience with us is easy, enjoyable and satisfying. From our sales, operations, accounting to our warehousing and technical support teams, we strive to go above and beyond what's expected every step of the way. With our free US based, live phone email and chat technical support, free product training and unrivaled warranties, AVer serves as your partner rather than simply your vendor.

## AVerCare Warranty Protection

AVerCare delivers industry-leading 5 or 3 year\* warranty with Advanced Replacement and 24-hour turnaround time in the first year. We strive to provide industry leading product quality, service and support so you're always up and running!



\* 5-year protection is included only on "V2" Pro AV cameras and the MT300N as of August 16, 2023. Optional 2-year extended warranty is available for purchase on 3-year warranty covered products only.

## TAA and NDAA Compliant

AVer Pro AV cameras and accessories that are TAA and NDAA Compliant include the models MD330 Series, TR211, TR315(N), TR35(N), TR323NV2, TR313V2, PTZ211, PTZ231, PTZ310UNV2, PTZ310UV2, PTZ330UNV2, PTZ330UV2, and MT300N. TAA refers to the Trade Agreements Act (19 U.S.C. & 2501-2581), which is intended to foster fair and open international trade. AVer PTZ and TR cameras are designed for use as part of video systems which comply with NDAA 2019, Section 889. We can provide full Certificate of Origin information for any of our products.



## Pro Evaluation Program

Buying a professional video system is no small task. Let us make evaluating our Auto Tracking and PTZ cameras a little easier. Our no risk 30 day Pro Evaluation Program allows you to try out any of our Pro AV cameras before you buy. If you wish to purchase we will work with a partner to fulfill your order. If not, we provide return shipping at no cost.





# AUTO TRACKING CAMERAS

AVer Professional Auto Tracking Cameras support IP streaming and deliver professional video broadcasts without the need for a videographer to track your target!



# TR211

12X HD PTZ Streaming Camera

Windows, Mac OS
3 Auto Tracking Modes
12X Optical Zoom
3G-SDI/HDMI/IP/USB Output
Full HD 1080p60
PoE+ Supported
WDR

Tracking Modes	Optical Zoom	Outputs
Resolution	Supports PoE+	WDR



\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR211V3



AVer SKU: PATR315V3 | PTR315NV3 (TR315N)

# TR315/TR315N

12X 4K AI Auto Tracking Camera

Windows, Mac OS
3 Auto Tracking Modes
Voice Tracking
12X Optical Zoom
4K Ultra HD
3G-SDI/HDMI/IP/USB Output
8 MP Picture
TR315N model features NDI® HX3

Tracking Modes	Optical Zoom	Outputs
Resolution	Supports PoE+	WDR









\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones

# TR335/TR335N

30X 4K AI Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes
Vocie Tracking
30X Optical Zoom
4K Ultra HD
3G-SDI/HDMI/IP/USB Output
8 MP Picture
TR335N model features NDI® HX3

Tracking Modes 	Optical Zoom 	Outputs 
Resolution 	Supports PoE+ 	WDR 





\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones









AVer SKU: PATR335V3 | PTR335NV3 (TR335N)




# TR313V2




12X 4K AI Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes
Vocie Tracking* and Gesture Control
12X Optical Zoom
4K Ultra HD
3G-SDI/HDMI/IP/USB Output
Supports PoE+

Tracking Modes 	Optical Zoom 	Outputs 
Resolution 	Supports PoE+ 	WDR 





\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR313V2

# TR323NV2

21X 4K NDI AI  
Auto Tracking Camera

Windows, Mac OS

- 3 Auto Tracking Modes
- Voice Tracking\* and Gesture Control
- 21X Optical Zoom
- 4K Ultra HD
- 3G-SDI/HDMI/IP/USB Output
- Supports NDI/HX2 and SRT Protocol

Tracking Modes 	Optical Zoom 	Outputs 
Resolution 	Supports PoE+ 	WDR 


\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PATR323NV2



# PTZ CAMERAS

AVer Professional PTZ Cameras support IP streaming and empower users to easily create excellent quality video from setup to showtime.









# PTZ330UNV2

30X 4K AI NDI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking
Voice Tracking*
30X Optical Zoom
4Kp60
HDMI/IP/NDI HX2/USB/3G-SDI Output
Supports PoE+

PTZ	Optical Zoom	Outputs
		
Resolution	IP Streaming	Supports PoE+
		





\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones









AVer SKU: PT330UNV2

# PTZ330UV2

30X 4K AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking
Voice Tracking*
30X Optical Zoom
4Kp60
HDMI/IP/USB/3G-SDI Output
Supports PoE+

PTZ	Optical Zoom	Outputs
		
Resolution	IP Streaming	Supports PoE+
		





\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones









AVer SKU: PTZ330UV2

# PTZ310UNV2

12X 4K AI NDI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking
Voice Tracking*
12X Optical Zoom
4Kp60
HDMI/IP/NDI HX2/USB/3G-SDI Output
Supports PoE+

PTZ	Optical Zoom	Outputs
		
Resolution	IP Streaming	Supports PoE+
		



\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones









AVer SKU: PT310UNV2

# PTZ310UV2

12X 4K AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking
Voice Tracking*
12X Optical Zoom
4Kp60
HDMI/IP/USB/3G-SDI Output
Supports PoE+

PTZ	Optical Zoom	Outputs
		
Resolution	IP Streaming	Supports PoE+
		



\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTZ310UV2



# PTZ231

30X HD AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking
Voice Tracking*
30X Optical Zoom
Full HD 1080p60
HDMI/IP/USB/3G-SDI Output
Supports PoE+

AI Functions	Optical Zoom	Multi-Stream
AI	12X+ OPTICAL	4 Output
Resolution	Megapixels	Supports PoE+
Full HD 1080p60	2 MP	



\*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTPTZ231W

# PTZ211

12X HD AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking
Voice Tracking*
12X Optical Zoom
Full HD 1080p60
HDMI/IP/USB/3G-SDI Output
Supports PoE+

AI Functions	Optical Zoom	Multi-Stream
AI	12X+ OPTICAL	4 Output
Resolution	Megapixels	Supports PoE+
Full HD 1080p60	2 MP	



\* With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, and Audio-Technica microphones



AVer SKU: PTPTZ211W



AVer SKU: PTCAMCTRL

# CL01

PTZ Professional Camera Controller

Pan/Tilt/Zoom Speed Control
Operate 255 PTZ Cameras
3 Infinite Rotation Knobs
Supports RS-422/RS-485/RS-232/IP Control
Built-in VISCA, SONY VISCA, Pelco P/D, UDP Protocols
1 Year Warranty

Speed Control	Quick Access	Rotation Knobs
Control Interfaces	VISCA Pelco-D/P	Warranty
RS-232 RS-422 RS-485 IP	VISCA Pelco-D Pelco-P	1 Yr



# MT300N

NDI® Matrix Tracking Box

- Integrated Voice Tracking
- Multi-Camera Switching
- 2 HDMI & 2 USB Type B
- Supports NDI | HX2 Protocol
- Built-in PTZ Link Premium
- Supports PoE+

Voice Tracking

Camera Switching

2HDMI & 2USB-B

Support NDI | HX2

Built-in PTZ Link Premium

Supports PoE+



AVer SKU: PATMT300N



# PTZ Management

Easy to Use and Efficient Central Management Tool

Windows 10, Windows 11

Control up to 256 Cameras
User-Friendly Interface
Remote Camera Management
Easily Update Devices
Works with All AVer PTZ and TR Cameras





# CaptureShare


Easily Record Video, Livestream, and Capture Still Images

## Windows & MAC

Annotate, Record Video, Live Stream, and Capture Images
Manage Camera Controls via USB
Works with AVer PTZ and Select TR Cameras
Works with Select AVer Document Cameras

Premium Version Available!

AVer SKU: PTLINKPRE




# PTZ Control Panel

Use iPad or iPhone to Control AVer PTZ Cameras Through the Network

## iOS® v9 or above, iPadOS® v11 or above

Control Common PTZ and Focus Functions Over Network
Enable and Disable Tracking
Instantly Find and Connect to AVer TR and PTZ Cameras
Save and Call Up to 256 Preset Points
Capture Camera Images and Save to The Album




# PTZ Link

Easily Add Voice Tracking Functionality  
Premium Version Available!

## Windows & MAC


Voice Tracking to Preset
IP Based Control
Multi-Camera Switching (Premium on Windows )
USB Auto Switching
Windows and Mac laptops and desktops



Combine AVer Pro AV cameras, PTZ Link software and select audio systems from these leading brands for voice tracking!



# Compatible With





Auto Tracking Cameras		PTZ Cameras		TR313V2: *4K can only support 30/29.97/27	
		TR211	TR315/TR315N	TR335/TR335N	TR313V2
Part Number		PATR211V3	PATR315V3/PTR315NV3	PATR335V3/PTR335NV3	PATR313V2
PTZ Camera	Effective Picture Elements	2 Megapixels	8 Megapixels	8 Megapixels	8 Megapixels
	Output Resolution	Up to Full HD 1080P at 60fps	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	12X	12X	30X	12X
	HFOV (Wide)~(Tele)	70° ~ 6°	70° ~ 6°	62.3° ~ 2.5°	70° ~ 6°
Panoramic Camera	Effective Picture Elements	—	—	—	—
	Output Resolution	—	—	—	—
	HFOV	—	—	—	—
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1°~100° / sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG	MJPEG	MJPEG	MJPEG, YUV
	UVC	UVC1.1	UVC1.1	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0	UAC1.0	UAC1.0
	Control Interface	RS232, RS-422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet
	Network Protocol	IPv6,IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP,VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP
	Control Protocol	VISCA/PELCO-D (RS232/RS422/IP), CGI (IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions		Wide Area Tracking, Stage Tracking, Segment Tracking, Voice Tracking	Presenter, Zone, Hybrid, Gesture Control	Presenter, Zone, Hybrid, Gesture Control	People Tracking (half or full body), Zone Tracking, Hybrid Tracking, Voice Tracking, Gesture Control
Package Contents		Remote Control, 12V Power Adapter, Power Cable, Din8 to DP9 Cable, RS232 In/Out Cable, Ceiling Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	IR Remote Control, 12V/5A Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Quick Guide
Software		CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+		PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
NDI Protocol		No	No   Yes on TR315N	No   Yes on TR335N	Upgradable
SRT Protocol		No	No	No	Yes

TR323NV2	TR535N	PTZ310UNV2	PTZ310UV2
PTR323NV2	PAT535NV3	PT310UNV2	PTZ310UV2
8 Megapixels	8 Megapixels	8 Megapixels	8 Megapixels
Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
21X	30X	12X	12X
65.1° ~ 2.34°	62.3° ~ 2.5°	72.1° ~ 6.3°	72.1° ~ 6.3°
—	—	—	—
—	—	—	—
—	—	—	—
Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
200° / Sec	200° / Sec	200° / Sec	200° / Sec
3G-SDI, HDMI x 2, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
MJPEG, YUY2	MJPEG	MJPEG, YUY2	MJPEG, YUY2
UVC1.1	UVC1.1	UVC1.1	UVC1.1
UAC1.0	UAC1.0	UAC1.0	UAC1.0
RS232, RS422, Ethernet	RS232, RS422, IP, USB	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTPS, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, HTTPS, DHCP, RTP/RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422), CGI(IP), USB, ONVIF	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
People Tracking (half or full body), Zone Tracking, Hybrid Tracking, Voice Tracking, Gesture Control	Presenter, Zone, Voice, Hybrid Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
IR Remote Control, 12V/5A Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Quick Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties
CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
Yes	Yes	Yes	No
Yes	No	Yes	Yes

		PTZ330UNV2	PTZ330UV2
Part Number		PT330UNV2	PTZ330UV2
PTZ Camera	Effective Picture Elements	8 Megapixels	8 Megapixels
	Output Resolution	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	30X	30X
	HFOV (Wide)~(Tele)	62.3° ~ 2.5°	62.3° ~ 2.5°
Panoramic Camera	Effective Picture Elements	—	—
	Output Resolution	—	—
	HFOV	—	—
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG, YUV2	MJPEG, YUY2
	UVC	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0
	Control Interface	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
	Network Protocol	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
	Control Protocol	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions		SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
Package Contents		Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties
Software		CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+		PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
NDI Protocol		Yes	No
SRT Protocol		Yes	Yes

PTZ231	PTZ211
PTPTZ231W	PTPTZ211W
2 Megapixels	2 Megapixels
Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
30X	12X
62.3° ~ 2.5°	62.3° ~ 2.5°
—	—
—	—
—	—
Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
200° / Sec	200° / Sec
3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
MJPEG, YUY2	MJPEG, YUY2
UVC1.1	UVC1.1
UAC1.0	UAC1.0
RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable
CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
No	No
Yes	Yes





To learn more, visit [pro.averusa.com](https://pro.averusa.com)

AVer Information Inc. Americas | [averusa.com](https://averusa.com) | 44061 Nobel Drive, Fremont, CA 94538 | Toll Free 1.877.528.7824

©2024 by AVer Information Inc. All rights reserved. All products and features are subject to change. All brand names and logos are trademarks of their respective companies.



Youtube: /averusa  
Facebook: AVerProAV  
Twitter: @AVerProAV  
Linkedin: AVerUSA